

N S RAJU INSTITUTE OF TECHNOLOGY
SONTYAM, ANANDAPURAM, VISAKHAPATNAM-531173
DEPARTMENT OF EEE
IV B.TECH II-SEM (R13) REGULAR RESULT ANALYSIS
2013-2017 BATCH - EXAMINATION HELD DURING APRIL-2017

S.No	HT No	DCS				SEM				FACTS				AIT				PROJECT				Credits	B.Logs	Total	%
		I	E	C	T	I	E	C	T	I	E	C	T	I	E	C	T	I	E	C	T				
1	13NU1A0201	25	39	3	64	22	11	0	33	23	24	3	47	23	6	0	29	54	135	9	189	15	2	362	60.33
2	13NU1A0202	25	44	3	69	25	48	3	73	26	42	3	68	26	41	3	67	57	135	9	192	21	0	469	78.17
3	13NU1A0203	27	59	3	86	24	49	3	73	25	53	3	78	28	53	3	81	56	135	9	191	21	0	509	84.83
4	13NU1A0204	26	53	3	79	23	42	3	65	25	40	3	65	27	63	3	90	55	135	9	190	21	0	489	81.50
5	13NU5A0213	22	3	0	25	24	7	0	31	25	6	0	31	27	AB	0	27	50	120	9	170	9	4	284	47.33
6	13NU5A0219	15	2	0	17	20	20	0	40	16	AB	0	16	18	AB	0	18	45	115	9	160	9	4	251	41.83
7	14NU5A0201	17	12	0	29	23	48	3	71	21	42	3	63	24	32	3	56	52	126	9	178	18	1	397	66.17
8	14NU5A0202	28	50	3	78	26	48	3	74	25	45	3	70	27	59	3	86	55	135	9	190	21	0	498	83.00
9	14NU5A0203	25	41	3	66	25	25	3	50	22	35	3	57	25	17	0	42	52	130	9	182	18	1	397	66.17
10	14NU5A0204	25	40	3	65	28	47	3	75	25	24	3	49	22	24	3	46	57	135	9	192	21	0	427	71.17
11	14NU5A0205	25	28	3	53	22	27	3	49	23	29	3	52	25	33	3	58	53	122	9	175	21	0	387	64.50
12	14NU5A0206	26	47	3	73	25	46	3	71	23	46	3	69	24	53	3	77	55	130	9	185	21	0	475	79.17
13	14NU5A0207	23	59	3	82	20	28	3	48	25	40	3	65	24	35	3	59	53	135	9	188	21	0	442	73.67
14	14NU5A0208	19	39	3	58	25	30	3	55	26	10	0	36	23	25	3	48	49	125	9	174	18	1	371	61.83
15	14NU5A0209	16	10	0	26	23	37	3	60	22	29	3	51	20	35	3	55	55	130	9	185	18	1	377	62.83
16	14NU5A0210	25	41	3	66	25	39	3	64	24	41	3	65	25	50	3	75	55	128	9	183	21	0	453	75.50
17	14NU5A0211	24	38	3	62	22	19	0	41	22	29	3	51	24	17	0	41	49	127	9	176	15	2	371	61.83
18	14NU5A0212	25	37	3	62	23	38	3	61	25	24	3	49	26	24	3	50	54	132	9	186	21	0	408	68.00
19	14NU5A0213	17	28	3	45	23	15	0	38	17	39	3	56	22	34	3	56	48	120	9	168	18	1	363	60.50
20	14NU5A0214	21	60	3	81	24	49	3	73	22	56	3	78	22	57	3	79	53	128	9	181	21	0	492	82.00
21	14NU5A0215	22	36	3	58	24	26	3	50	18	25	3	43	22	3	0	25	54	127	9	181	18	1	357	59.50
22	14NU5A0216	24	50	3	74	22	32	3	54	24	31	3	55	22	11	0	33	55	130	9	185	18	1	401	66.83
23	14NU5A0217	22	5	0	27	25	AB	0	25	25	35	3	60	26	47	3	73	48	120	9	168	15	2	353	58.83
24	14NU5A0218	18	43	3	61	21	28	3	49	24	35	3	59	23	29	3	52	51	125	9	176	21	0	397	66.17

25	14NU5A0219	25	45	3	70	27	29	3	56	23	41	3	64	24	25	3	49	53	132	9	185	21	0	424	70.67
26	14NU5A0220	23	42	3	65	24	41	3	65	25	30	3	55	26	24	3	50	53	131	9	184	21	0	419	69.83
27	14NU5A0221	19	14	0	33	17	39	3	56	19	29	3	48	23	31	3	54	54	126	9	180	18	1	371	61.83
28	14NU5A0222	24	49	3	73	26	46	3	72	24	49	3	73	24	59	3	83	53	130	9	183	21	0	484	80.67
29	14NU5A0223	23	45	3	68	20	31	3	51	20	35	3	55	24	18	0	42	50	130	9	180	18	1	396	66.00
30	14NU5A0224	22	36	3	58	25	41	3	66	24	19	0	43	26	29	3	55	55	128	9	183	18	1	405	67.50
31	14NU5A0225	19	45	3	64	23	41	3	64	23	42	3	65	22	45	3	67	55	128	9	183	21	0	443	73.83
32	14NU5A0226	25	38	3	63	22	42	3	64	24	37	3	61	27	36	3	63	53	128	9	181	21	0	432	72.00
33	14NU5A0227	25	40	3	65	25	24	3	49	24	37	3	61	26	24	3	50	55	135	9	190	21	0	415	69.17
34	14NU5A0228	24	24	3	48	23	34	3	57	24	19	0	43	25	24	3	49	55	130	9	185	18	1	382	63.67
35	14NU5A0229	21	3	0	24	19	10	0	29	10	5	0	15	22	9	0	31	45	123	9	168	9	4	267	44.50
36	14NU5A0230	25	25	3	50	22	2	0	24	22	37	3	59	23	2	0	25	49	130	9	179	15	2	337	56.17
37	14NU5A0231	23	36	3	59	23	29	3	52	21	28	3	49	25	15	0	40	49	130	9	179	18	1	379	63.17
38	14NU5A0233	25	41	3	66	22	39	3	61	26	19	0	45	26	28	3	54	52	135	9	187	18	1	413	68.83
39	14NU5A0235	24	31	3	55	20	49	3	69	16	44	3	60	22	49	3	71	43	121	9	164	21	0	419	69.83
40	14NU5A0236	22	10	0	32	19	44	3	63	23	33	3	56	23	59	3	82	43	123	9	166	18	1	399	66.50
41	14NU5A0237	25	50	3	75	24	27	3	51	23	31	3	54	27	35	3	62	49	128	9	177	21	0	419	69.83
42	14NU5A0239	25	45	3	70	24	46	3	70	25	43	3	68	24	33	3	57	50	130	9	180	21	0	445	74.17
43	14NU5A0240	25	24	3	49	19	24	3	43	20	31	3	51	26	29	3	55	47	124	9	171	21	0	369	61.50
44	14NU5A0241	27	59	3	86	26	52	3	78	25	58	3	83	28	48	3	76	53	135	9	188	21	0	511	85.17
	Failure			8				8				7				11					0				

N S RAJU INSTITUTE OF TECHNOLOGY
SONTYAM, ANANDAPURAM, VISAKHAPATNAM-531173
DEPARTMENT OF ME-A
IV B.TECH II-SEM (R13) REGULAR RESULT ANALYSIS
2013-2017 BATCH - EXAMINATION HELD DURING APRIL-2017

S.No	HT No	PPC				GES				PPE				NDE				PROJECT				Credits	B.Logs	Total	%
		I	E	C	T	I	E	C	T	I	E	C	T	I	E	C	T	I	E	C	T				
1	12NU1A0356	16	49	3	65	21	25	3	46	19	38	3	57	20	41	3	61	55	129	9	184	21	0	413	68.83
2	12NU5A0307	18	40	3	58	23	46	3	69	19	24	3	43	22	39	3	61	56	130	9	186	21	0	417	69.50
3	13NU1A0301	22	46	3	68	23	57	3	80	22	57	3	79	24	65	3	89	59	137	9	196	21	0	512	85.33
4	13NU1A0303	20	39	3	59	24	35	3	59	18	41	3	59	22	42	3	64	56	132	9	188	21	0	429	71.50
5	13NU1A0304	18	5	0	23	21	18	0	39	18	35	3	53	20	49	3	69	55	130	9	185	15	2	369	61.50
6	13NU1A0305	21	47	3	68	21	56	3	77	23	38	3	61	22	49	3	71	58	133	9	191	21	0	468	78.00
7	13NU1A0306	21	46	3	67	20	47	3	67	19	48	3	67	20	46	3	66	50	131	9	181	21	0	448	74.67
8	13NU1A0309	18	31	3	49	15	34	3	49	14	35	3	49	18	37	3	55	50	130	9	180	21	0	382	63.67
9	13NU1A0310	19	21	0	40	21	29	3	50	16	29	3	45	18	24	3	42	50	130	9	180	18	1	357	59.50
10	13NU1A0311	20	56	3	76	26	60	3	86	23	37	3	60	23	44	3	67	59	137	9	196	21	0	485	80.83
11	13NU1A0312	23	50	3	73	22	54	3	76	21	48	3	69	24	43	3	67	58	133	9	191	21	0	476	79.33
12	13NU1A0313	7	AB	0	7	5	AB	0	5	5	AB	0	5	3	AB	0	3	52	AB	0	52	0	5	72	12.00
13	13NU1A0314	17	41	3	58	19	16	0	35	14	43	3	57	20	50	3	70	52	130	9	182	18	1	402	67.00
14	13NU1A0315	21	46	3	67	24	42	3	66	20	30	3	50	21	34	3	55	55	132	9	187	21	0	425	70.83
15	13NU1A0316	21	53	3	74	27	46	3	73	22	48	3	70	25	50	3	75	59	137	9	196	21	0	488	81.33
16	13NU1A0317	18	42	3	60	22	32	3	54	20	35	3	55	24	35	3	59	50	130	9	180	21	0	408	68.00
17	13NU1A0318	20	48	3	68	18	26	3	44	22	36	3	58	24	44	3	68	50	130	9	180	21	0	418	69.67
18	13NU1A0319	16	36	3	52	16	36	3	52	17	24	3	41	18	30	3	48	56	132	9	188	21	0	381	63.50
19	13NU1A0320	19	41	3	60	22	41	3	63	23	40	3	63	11	37	3	48	58	133	9	191	21	0	425	70.83
20	13NU1A0321	20	38	3	58	23	51	3	74	22	47	3	69	26	45	3	71	50	137	9	187	21	0	459	76.50
21	13NU1A0323	18	37	3	55	24	26	3	50	20	47	3	67	20	34	3	54	51	131	9	182	21	0	408	68.00
22	13NU1A0324	22	45	3	67	24	48	3	72	24	36	3	60	21	46	3	67	52	137	9	189	21	0	455	75.83
23	13NU1A0325	20	47	3	67	23	38	3	61	21	50	3	71	21	38	3	59	53	132	9	185	21	0	443	73.83
24	13NU1A0326	22	48	3	70	20	34	3	54	25	50	3	75	25	45	3	70	56	134	9	190	21	0	459	76.50
25	13NU1A0327	18	59	3	77	24	41	3	65	22	41	3	63	20	52	3	72	54	130	9	184	21	0	461	76.83
26	13NU1A0328	22	49	3	71	22	52	3	74	22	29	3	51	19	41	3	60	52	131	9	183	21	0	439	73.17
27	13NU1A0329	3	17	0	20	16	30	3	46	11	3	0	14	23	33	3	56	50	130	9	180	15	2	316	52.67
28	13NU1A0330	21	58	3	79	19	51	3	70	23	54	3	77	21	41	3	62	58	133	9	191	21	0	479	79.83
29	13NU1A0331	24	41	3	65	23	44	3	67	25	35	3	60	25	41	3	66	59	137	9	196	21	0	454	75.67

30	13NU1A0332	20	40	3	60	22	53	3	75	22	26	3	48	22	45	3	67	57	134	9	191	21	0	441	73.50
31	13NU1A0333	18	34	3	52	22	30	3	52	16	44	3	60	23	52	3	75	52	131	9	183	21	0	422	70.33
32	13NU1A0334	15	27	3	42	19	28	3	47	14	17	0	31	14	31	3	45	56	133	9	189	18	1	354	59.00
33	13NU1A0335	18	30	3	48	16	30	3	46	19	43	3	62	25	29	3	54	55	132	9	187	21	0	397	66.17
34	13NU1A0336	17	49	3	66	19	47	3	66	22	36	3	58	22	35	3	57	56	132	9	188	21	0	435	72.50
35	13NU1A0337	16	33	3	49	19	47	3	66	19	39	3	58	24	41	3	65	50	130	9	180	21	0	418	69.67
36	13NU1A0338	13	42	3	55	20	45	3	65	21	35	3	56	19	41	3	60	50	132	9	182	21	0	418	69.67
37	13NU1A0339	13	9	0	22	18	AB	0	18	16	0	0	16	17	0	0	17	51	AB	0	51	0	5	124	20.67
38	13NU1A0340	18	47	3	65	23	44	3	67	18	30	3	48	19	39	3	58	52	130	9	182	21	0	420	70.00
39	13NU1A0341	22	50	3	72	21	54	3	75	23	56	3	79	24	61	3	85	57	133	9	190	21	0	501	83.50
40	13NU1A0342	24	47	3	71	27	40	3	67	25	56	3	81	26	44	3	70	59	137	9	196	21	0	485	80.83
41	13NU1A0343	20	48	3	68	26	30	3	56	22	40	3	62	21	49	3	70	59	136	9	195	21	0	451	75.17
42	13NU1A0344	19	38	3	57	21	46	3	67	24	26	3	50	19	29	3	48	54	132	9	186	21	0	408	68.00
43	13NU1A0345	12	43	3	55	15	39	3	54	16	34	3	50	19	32	3	51	52	130	9	182	21	0	392	65.33
44	13NU1A0346	15	43	3	58	22	39	3	61	21	30	3	51	21	29	3	50	55	132	9	187	21	0	407	67.83
45	13NU1A0347	18	42	3	60	20	37	3	57	22	46	3	68	22	41	3	63	55	132	9	187	21	0	435	72.50
46	13NU1A0349	21	48	3	69	23	49	3	72	18	26	3	44	21	44	3	65	59	134	9	193	21	0	443	73.83
47	13NU1A0350	17	42	3	59	24	45	3	69	23	44	3	67	21	42	3	63	55	130	9	185	21	0	443	73.83
48	13NU5A0306	18	47	3	65	24	54	3	78	22	52	3	74	20	63	3	83	59	134	9	193	21	0	493	82.17
49	14NU5A0301	20	52	3	72	23	43	3	66	22	51	3	73	21	46	3	67	59	134	9	193	21	0	471	78.50
50	14NU5A0302	21	35	3	56	26	15	0	41	21	38	3	59	21	48	3	69	59	132	9	191	18	1	416	69.33
51	14NU5A0303	19	42	3	61	20	59	3	79	19	34	3	53	19	37	3	56	59	133	9	192	21	0	441	73.50
52	14NU5A0304	19	45	3	64	19	31	3	50	18	42	3	60	22	58	3	80	58	132	9	190	21	0	444	74.00
53	14NU5A0306	19	42	3	61	21	41	3	62	24	47	3	71	23	42	3	65	58	137	9	195	21	0	454	75.67
54	14NU5A0307	19	42	3	61	25	32	3	57	22	39	3	61	24	53	3	77	58	133	9	191	21	0	447	74.50
55	14NU5A0308	22	46	3	68	21	49	3	70	24	54	3	78	23	44	3	67	59	137	9	196	21	0	479	79.83
56	14NU5A0309	23	47	3	70	25	47	3	72	25	50	3	75	25	52	3	77	57	137	9	194	21	0	488	81.33
57	14NU5A0310	19	55	3	74	24	33	3	57	26	32	3	58	21	46	3	67	58	133	9	191	21	0	447	74.50
58	14NU5A0311	20	36	3	56	24	40	3	64	23	37	3	60	25	60	3	85	58	137	9	195	21	0	460	76.67
59	14NU5A0312	23	61	3	84	24	66	3	90	24	50	3	74	23	39	3	62	59	137	9	196	21	0	506	84.33
60	14NU5A0313	22	41	3	63	18	40	3	58	21	45	3	66	23	54	3	77	55	132	9	187	21	0	451	75.17
61	14NU5A0314	21	51	3	72	25	37	3	62	21	60	3	81	22	43	3	65	56	132	9	188	21	0	468	78.00
62	14NU5A0315	22	37	3	59	25	26	3	51	27	50	3	77	24	52	3	76	55	132	9	187	21	0	450	75.00
63	14NU5A0316	17	47	3	64	26	51	3	77	23	28	3	51	22	43	3	65	57	130	9	187	21	0	444	74.00
64	14NU5A0317	21	49	3	70	23	46	3	69	25	48	3	73	25	58	3	83	58	133	9	191	21	0	486	81.00
	Failure			5				5				4				2				2					

N S RAJU INSTITUTE OF TECHNOLOGY
SONTYAM, ANANDAPURAM, VISAKHAPATNAM-531173
DEPARTMENT OF ME-B
IV B.TECH II-SEM (R13) REGULAR RESULT ANALYSIS
2013-2017 BATCH - EXAMINATION HELD DURING APRIL-2017

S.No	HT No	PPC				GES				PPE				NDE				PROJECT				Credits	B.Logs	Total	%
		I	E	C	T	I	E	C	T	I	E	C	T	I	E	C	T	I	E	C	T				
1	10NU1A0318	25	45	3	70	23	37	3	60	18	50	3	68	24	41	3	65	50	98	9	148	21	0	411	68.50
2	11NU1A0336	21	27	3	48	23	35	3	58	20	46	3	66	25	35	3	60	56	114	9	170	21	0	402	67.00
3	13NU1A0351	16	26	3	42	19	0	0	19	11	3	0	14	18	20	0	38	58	100	9	158	12	3	271	45.17
4	13NU1A0353	22	28	3	50	21	24	3	45	20	32	3	52	22	38	3	60	59	136	9	195	21	0	402	67.00
5	13NU1A0354	24	46	3	70	24	49	3	73	22	31	3	53	23	41	3	64	50	103	9	153	21	0	413	68.83
6	13NU1A0355	23	34	3	57	24	40	3	64	19	45	3	64	21	34	3	55	59	114	9	173	21	0	413	68.83
7	13NU1A0356	24	53	3	77	23	38	3	61	22	46	3	68	22	46	3	68	59	132	9	191	21	0	465	77.50
8	13NU1A0357	23	37	3	60	23	26	3	49	21	36	3	57	22	44	3	66	58	131	9	189	21	0	421	70.17
9	13NU1A0358	23	40	3	63	24	50	3	74	21	33	3	54	23	41	3	64	57	115	9	172	21	0	427	71.17
10	13NU1A0359	24	54	3	78	23	62	3	85	24	52	3	76	28	52	3	80	59	136	9	195	21	0	514	85.67
11	13NU1A0360	20	28	3	48	25	39	3	64	21	29	3	50	22	39	3	61	58	104	9	162	21	0	385	64.17
12	13NU1A0361	22	45	3	67	23	31	3	54	22	33	3	55	24	58	3	82	59	140	9	199	21	0	457	76.17
13	13NU1A0362	17	32	3	49	19	44	3	63	21	27	3	48	21	27	3	48	54	102	9	156	21	0	364	60.67
14	13NU1A0363	18	39	3	57	19	35	3	54	16	43	3	59	21	42	3	63	54	130	9	184	21	0	417	69.50
15	13NU1A0364	23	41	3	64	22	26	3	48	21	40	3	61	22	43	3	65	58	121	9	179	21	0	417	69.50
16	13NU1A0365	23	47	3	70	24	42	3	66	27	41	3	68	24	48	3	72	59	125	9	184	21	0	460	76.67
17	13NU1A0366	20	38	3	58	21	44	3	65	23	27	3	50	23	45	3	68	57	128	9	185	21	0	426	71.00
18	13NU1A0367	19	39	3	58	25	45	3	70	21	49	3	70	25	63	3	88	57	125	9	182	21	0	468	78.00
19	13NU1A0368	21	45	3	66	24	33	3	57	17	37	3	54	23	39	3	62	57	136	9	193	21	0	432	72.00
20	13NU1A0369	20	30	3	50	25	31	3	56	24	36	3	60	22	41	3	63	55	112	9	167	21	0	396	66.00
21	13NU1A0370	25	48	3	73	25	60	3	85	24	33	3	57	23	34	3	57	59	138	9	197	21	0	469	78.17
22	13NU1A0371	22	46	3	68	25	45	3	70	23	56	3	79	22	38	3	60	59	131	9	190	21	0	467	77.83
23	13NU1A0372	20	32	3	52	26	43	3	69	24	49	3	73	22	35	3	57	55	130	9	185	21	0	436	72.67
24	13NU1A0373	20	37	3	57	18	29	3	47	17	34	3	51	19	47	3	66	50	92	9	142	21	0	363	60.50
25	13NU1A0374	24	38	3	62	21	45	3	66	17	26	3	43	19	31	3	50	52	107	9	159	21	0	380	63.33
26	14NU5A0318	19	36	3	55	24	42	3	66	17	41	3	58	16	40	3	56	50	116	9	166	21	0	401	66.83
27	14NU5A0319	23	40	3	63	24	35	3	59	24	39	3	63	22	56	3	78	54	135	9	189	21	0	452	75.33

28	14NU5A0320	19	42	3	61	22	50	3	72	22	37	3	59	24	32	3	56	55	115	9	170	21	0	418	69.67
29	14NU5A0321	22	51	3	73	20	55	3	75	22	51	3	73	20	64	3	84	56	128	9	184	21	0	489	81.50
30	14NU5A0322	23	28	3	51	24	37	3	61	23	42	3	65	24	39	3	63	55	131	9	186	21	0	426	71.00
31	14NU5A0323	19	30	3	49	23	16	0	39	22	36	3	58	24	42	3	66	56	110	9	166	18	1	378	63.00
32	14NU5A0324	21	64	3	85	23	63	3	86	23	54	3	77	23	40	3	63	57	121	9	178	21	0	489	81.50
33	14NU5A0325	23	49	3	72	22	55	3	77	21	40	3	61	22	39	3	61	54	121	9	175	21	0	446	74.33
34	14NU5A0326	24	54	3	78	26	47	3	73	25	54	3	79	26	56	3	82	59	138	9	197	21	0	509	84.83
35	14NU5A0327	21	32	3	53	20	30	3	50	20	39	3	59	22	50	3	72	59	121	9	180	21	0	414	69.00
36	14NU5A0328	25	41	3	66	21	41	3	62	19	24	3	43	21	37	3	58	50	101	9	151	21	0	380	63.33
37	14NU5A0329	25	51	3	76	18	51	3	69	21	50	3	71	20	56	3	76	50	104	9	154	21	0	446	74.33
38	14NU5A0330	24	55	3	79	22	50	3	72	24	53	3	77	23	45	3	68	59	140	9	199	21	0	495	82.50
39	14NU5A0331	25	40	3	65	24	46	3	70	24	50	3	74	19	52	3	71	56	122	9	178	21	0	458	76.33
40	14NU5A0332	23	57	3	80	25	50	3	75	23	42	3	65	25	49	3	74	55	132	9	187	21	0	481	80.17
41	14NU5A0333	21	49	3	70	25	57	3	82	24	50	3	74	18	50	3	68	56	135	9	191	21	0	485	80.83
42	14NU5A0334	22	55	3	77	23	47	3	70	27	56	3	83	25	46	3	71	59	130	9	189	21	0	490	81.67
43	14NU5A0335	24	32	3	56	20	35	3	55	22	38	3	60	18	44	3	62	54	138	9	192	21	0	425	70.83
44	14NU5A0337	19	5	0	24	18	5	0	23	9	0	0	9	22	0	0	22	48	112	9	160	9	4	238	39.67
45	14NU5A0338	17	50	3	67	20	54	3	74	18	46	3	64	25	50	3	75	50	120	9	170	21	0	450	75.00
46	14NU5A0339	24	50	3	74	23	38	3	61	23	44	3	67	22	48	3	70	52	134	9	186	21	0	458	76.33
47	14NU5A0340	19	30	3	49	19	30	3	49	19	38	3	57	18	33	3	51	51	122	9	173	21	0	379	63.17
48	14NU5A0341	19	24	3	43	18	25	3	43	20	17	0	37	24	27	3	51	55	115	9	170	18	1	344	57.33
49	14NU5A0342	22	54	3	76	24	55	3	79	24	49	3	73	21	42	3	63	55	135	9	190	21	0	481	80.17
50	14NU5A0343	19	49	3	68	20	39	3	59	15	35	3	50	17	38	3	55	50	103	9	153	21	0	385	64.17
51	14NU5A0344	17	24	3	41	17	24	3	41	18	36	3	54	17	36	3	53	51	121	9	172	21	0	361	60.17
52	14NU5A0345	17	38	3	55	18	34	3	52	18	24	3	42	19	27	3	46	54	101	9	155	21	0	350	58.33
53	14NU5A0346	20	43	3	63	22	49	3	71	19	46	3	65	18	41	3	59	51	100	9	151	21	0	409	68.17
54	14NU5A0347	19	46	3	65	22	43	3	65	21	AB	0	21	25	38	3	63	52	112	9	164	18	1	378	63.00
55	14NU5A0348	21	34	3	55	24	35	3	59	22	39	3	61	19	56	3	75	51	127	9	178	21	0	428	71.33
56	14NU5A0349	16	40	3	56	16	47	3	63	19	35	3	54	19	41	3	60	54	122	9	176	21	0	409	68.17
57	14NU5A0350	19	33	3	52	19	44	3	63	19	44	3	63	16	34	3	50	52	100	9	152	21	0	380	63.33
58	14NU5A0352	21	49	3	70	21	39	3	60	22	38	3	60	20	35	3	55	52	112	9	164	21	0	409	68.17
59	14NU5A0353	21	31	3	52	20	36	3	56	19	35	3	54	20	40	3	60	53	131	9	184	21	0	406	67.67
60	14NU5A0355	23	56	3	79	21	48	3	69	21	37	3	58	17	50	3	67	51	135	9	186	21	0	459	76.50
	Failure			1				3				4				2						0			

N S RAJU INSTITUTE OF TECHNOLOGY
SONTYAM, ANANDAPURAM, VISAKHAPATNAM-531173
DEPARTMENT OF CSE

IV B.TECH II-SEM (R13) REGULAR RESULT ANALYSIS
2013-2017 BATCH - EXAMINATION HELD DURING APRIL-2017

S.No	HT No	CC				DS				MS				HCI				PROJECT				Credits	B.Logs	Total	%	
		I	E	C	T	I	E	C	T	I	E	C	T	I	E	C	T	I	E	C	T					
1	13NU1A0501	23	35	3	58	18	11	0	29	21	33	3	54	18	35	3	53	58	117	9	175	18	1	369	61.50	
2	13NU1A0502	22	AB	0	22	23	20	0	43	20	53	3	73	19	51	3	70	58	119	9	177	15	2	385	64.17	
3	13NU1A0503	22	33	3	55	22	34	3	56	23	53	3	76	17	43	3	60	59	128	9	187	21	0	434	72.33	
4	13NU1A0504	23	24	3	47	23	40	3	63	23	43	3	66	19	31	3	50	58	121	9	179	21	0	405	67.50	
5	13NU1A0506	22	42	3	64	23	28	3	51	21	40	3	61	22	44	3	66	59	131	9	190	21	0	432	72.00	
6	13NU1A0508	22	48	3	70	21	32	3	53	21	59	3	80	17	51	3	68	58	124	9	182	21	0	453	75.50	
7	13NU1A0510	23	54	3	77	21	29	3	50	22	42	3	64	19	43	3	62	57	123	9	180	21	0	433	72.17	
8	13NU1A0511	23	24	3	47	18	48	3	66	22	45	3	67	18	43	3	61	59	127	9	186	21	0	427	71.17	
9	13NU1A0512	22	41	3	63	14	32	3	46	21	27	3	48	18	36	3	54	58	123	9	181	21	0	392	65.33	
10	13NU1A0513	23	26	3	49	22	24	3	46	21	32	3	53	18	40	3	58	59	135	9	194	21	0	400	66.67	
11	13NU1A0514	14	38	3	52	18	9	0	27	22	33	3	55	18	36	3	54	56	117	9	173	18	1	361	60.17	
12	13NU1A0515	21	13	0	34	18	30	3	48	22	27	3	49	20	28	3	48	56	119	9	175	18	1	354	59.00	
13	13NU1A0516	20	41	3	61	20	28	3	48	20	35	3	55	16	40	3	56	55	114	9	169	21	0	389	64.83	
14	14NU5A0501	25	44	3	69	20	24	3	44	24	34	3	58	18	51	3	69	59	132	9	191	21	0	431	71.83	
15	14NU5A0502	24	36	3	60	22	39	3	61	22	39	3	61	18	38	3	56	59	127	9	186	21	0	424	70.67	
	Failure			2				3				0				0				0						

N S RAJU INSTITUTE OF TECHNOLOGY
SONTYAM, ANANDAPURAM, VISAKHAPATNAM-531173
DEPARTMENT OF ECE
IV B.TECH II-SEM (R13) REGULAR RESULT ANALYSIS
2013-2017 BATCH - EXAMINATION HELD DURING APRIL-2017

S.No	HT No	CMC				EMI				SC				EMI/EMC				ES				PROJECT				Credits	B.Logs	Total	%
		I	E	C	T	I	E	C	T	I	E	C	T	I	E	C	T	I	E	C	T	I	E	C	T				
1	12NU1A0410	23	31	3	54	20	29	3	49	21	31	3	52	13	18	0	31					57	136	9	193	18	1	379	63.17
2	12NU1A0441	19	0	0	19					16	2	0	18	4	0	0	4	21	6	0	27	51	125	9	176	9	4	217	36.17
3	13NU1A0401	26	29	3	55	21	40	3	61	22	33	3	55	20	29	3	49					60	139	9	199	21	0	419	69.83
4	13NU1A0402	25	44	3	69	24	32	3	56	24	36	3	60	26	40	3	66					60	139	9	199	21	0	450	75.00
5	13NU1A0403	26	35	3	61	28	30	3	58	24	39	3	63	26	25	3	51					59	138	9	197	21	0	430	71.67
6	13NU1A0404	23	30	3	53	23	5	0	28	25	24	3	49	22	24	3	46					60	139	9	199	18	1	375	62.50
7	13NU1A0405	26	36	3	62	24	41	3	65	22	8	0	30	21	29	3	50					58	137	9	195	18	1	402	67.00
8	13NU1A0406	26	43	3	69	24	27	3	51	22	34	3	56	19	24	3	43					58	137	9	195	21	0	414	69.00
9	13NU1A0407	22	12	0	34	18	28	3	46	22	32	3	54	20	19	0	39					57	134	9	191	15	2	364	60.67
10	13NU1A0408	23	28	3	51	26	41	3	67	25	36	3	61	21	30	3	51					58	136	9	194	21	0	424	70.67
11	13NU1A0409	27	41	3	68	25	43	3	68	24	31	3	55	22	32	3	54					59	138	9	197	21	0	442	73.67
12	13NU1A0410	26	55	3	81	27	37	3	64	26	41	3	67	27	33	3	60					60	139	9	199	21	0	471	78.50
13	13NU1A0411	25	48	3	73	26	35	3	61	21	41	3	62	26	38	3	64					60	139	9	199	21	0	459	76.50
14	13NU1A0412	25	32	3	57	21	17	0	38	22	34	3	56	23	28	3	51					60	139	9	199	18	1	401	66.83
15	13NU1A0413	22	5	0	27	17	19	0	36	16	0	0	16	17	0	0	17					52	130	9	182	9	4	278	46.33
16	13NU1A0414	24	41	3	65	22	28	3	50	23	42	3	65	19	28	3	47					58	138	9	196	21	0	423	70.50
17	14NU5A0401	27	32	3	59	24	49	3	73	22	50	3	72	21	33	3	54					59	139	9	198	21	0	456	76.00
18	14NU5A0402	26	30	3	56	23	52	3	75	24	41	3	65	8	37	3	45					59	138	9	197	21	0	438	73.00
19	14NU5A0403	24	35	3	59	23	31	3	54	24	33	3	57	21	24	3	45					59	138	9	197	21	0	412	68.67
20	14NU5A0404	24	39	3	63	25	28	3	53	25	30	3	55	22	28	3	50					58	137	9	195	21	0	416	69.33
21	14NU5A0405	26	24	3	50	27	39	3	66	24	42	3	66	23	36	3	59					59	138	9	197	21	0	438	73.00
22	14NU5A0406	26	35	3	61	21	29	3	50	25	26	3	51	19	28	3	47					58	138	9	196	21	0	405	67.50
23	14NU5A0407	25	48	3	73	23	50	3	73	21	33	3	54	23	36	3	59					59	138	9	197	21	0	456	76.00
24	14NU5A0408	25	27	3	52	20	28	3	48	21	27	3	48	17	28	3	45					56	134	9	190	21	0	383	63.83
25	14NU5A0409	24	11	0	35	21	38	3	59	23	36	3	59	22	15	0	37					58	137	9	195	15	2	385	64.17

26	14NU5A0410	26	30	3	56	25	24	3	49	25	14	0	39	24	27	3	51					60	139	9	199	18	1	394	65.67	
27	14NU5A0411	27	39	3	66	25	48	3	73	25	35	3	60	25	36	3	61					60	139	9	199	21	0	459	76.50	
28	14NU5A0412	23	46	3	69	21	34	3	55	21	36	3	57	22	28	3	50					58	136	9	194	21	0	425	70.83	
29	14NU5A0413	22	25	3	47	25	30	3	55	21	36	3	57	23	29	3	52					57	136	9	193	21	0	404	67.33	
30	14NU5A0414	22	15	0	37	21	29	3	50	21	11	0	32	19	31	3	50					58	136	9	194	15	2	363	60.50	
31	14NU5A0415	24	36	3	60	23	43	3	66	23	31	3	54	21	28	3	49					58	137	9	195	21	0	424	70.67	
32	14NU5A0416	25	44	3	69	23	32	3	55	23	45	3	68	24	41	3	65					59	138	9	197	21	0	454	75.67	
	Failure			5				3				5				5						1		0						

**N S RAJU INSTITUTE OF TECHNOLOGY
SONTYAM**

**IV B.Tech [R13] II Semester Regulr Examinations April-2017 (2013-2017 BATCH)
EXAM HELD DURING APRIL-2017**

EEE (Total Attended : 44 , No.of.Pass : 23 , Branch Pass Percentage : 52.27)

S.NO	SUB.CODE	SUBJECT NAME	FACULTY NAME	NO.OF.PASSED	NO.OF.FAILED	PASS %
1	RT42021	DIGITAL CONTROL SYSTEMS	B.SANTOSH KUMAR	36	8	81.82
2	RT42022C	SPECIAL ELECTRICAL MACHINES	P.MAHESH	36	8	81.82
3	RT42023C	FACTS: FLEXIBLE ALTERNATING CURRENT TRANSMI	M.SREEDEVI	37	7	84.09
4	RT42024C	AI TECHNIQUES	A.YELLAJI	33	11	75.00
5	RT42025	PROJECT WORK		44	0	100.00
EEE BRANCH				23	21	52.27

MECH-A (Total Attended : 64 , No.of.Pass : 56 , Branch Pass Percentage : 87.5)

S.NO	SUB.CODE	SUBJECT NAME	FACULTY NAME	NO.OF.PASSED	NO.OF.FAILED	PASS %
1	RT42031	PRODUCTION PLANNING AND CONTROL	K.SRAVAN KUMAR	59	5	92.19
2	RT42032	GREEN ENGINEERING SYSTEMS	PVS.MURALI KRISHNA	59	5	92.19
3	RT42033D	POWER PLANT ENGINEERING	J.SUNIL	60	4	93.75
4	RT42034A	NON DESTRUCTIVE EVALUATION	R.RAWALI	62	2	96.88
5	RT42035	PROJECT WORK	K.RAMANJANEYULU	62	2	96.88
MECH-A BRANCH				56	8	87.50

MECH-B (Total Attended : 60 , No.of.Pass : 5 , Branch Pass Percentage : 91.67)

S.NO	SUB.CODE	SUBJECT NAME	FACULTY NAME	NO.OF.PASSED	NO.OF.FAILED	PASS %
1	RT42031	PRODUCTION PLANNING AND CONTROL	K.RAMPRASAD	59	1	98.33
2	RT42032	GREEN ENGINEERING SYSTEMS	PVS.MURALI KRISHNA	57	3	95.00
3	RT42033D	POWER PLANT ENGINEERING	J.SUNIL	56	4	93.33
4	RT42034A	NON DESTRUCTIVE EVALUATION	R.RAWALI	58	2	93.75
5	RT42035	PROJECT WORK	K.RAMANJANEYULU	60	0	93.75
MECH-B BRANCH				55	5	91.67

ECE (Total Attended : 32 , No.of.Pass : 22 , Branch Pass Percentage : 68.75)

S.NO	SUB.CODE	SUBJECT NAME	FACULTY NAME	NO.OF.PASSED	NO.OF.FAILED	PASS %
1	RT42041	CELLULAR MOBILE COMMUNICATION	MVS.ROJARAMANI	27	5	84.38
2	RT42042	ELECTRONIC MEASUREMENTS AND INSTRUMENTATION	D.RAHUL	28	3	87.50
3	RT42043A	SATELLITE COMMUNICATION	CH.HEENA KUMARI	27	5	84.38
4	RT42044E	EMI/EMC	DR.SOMASEKHAR	27	5	84.38
5	PT42043C	EMBEDDED SYSTEMS		0	1	0.00
6	RT42045	PROJECT & SEMINAR	B.RAVICHANDRA	32	0	100.00
ECE BRANCH				22	10	68.75

CSE (Total Attended :15 , No.of.Pass : 11 , Branch Pass Percentage : 77.67)

S.NO	SUB.CODE	SUBJECT NAME	FACULTY NAME	NO.OF.PASSED	NO.OF.FAILED	PASS %
1	RT42043E	CLOUD COMPUTING	ASSV.RAMKUMAR	13	2	86.67
2	RT42051	DISTRIBUTED SYSTEMS	K.SHANKAR	12	3	80.00
3	RT42052	MANAGEMENT SCIENCE	T.NAGALAKSHMI	15	0	100.00
4	RT42053A	HUMAN COMPUTER INTERACTION	G.RAJASEKHAR	15	0	100.00
5	RT42055	PROJECT		15	0	100.00
CSE BRANCH				11	4	73.33

S.NO	BRANCH	APPEARED	PASSED	FAIL	%
1	EEE	44	23	21	52.27
2	MECH-A	64	56	8	87.50
3	MECH-B	60	55	5	91.67
4	ECE	32	22	10	68.75
5	CSE	15	11	4	73.33
TOTAL		215	167	48	77.67

OIE

PRINCIPAL

BATCH-YEAR-SEM	PASS%
2013 BATCH(4-1) NOV-2016	55.81
2012 BATCH(4-2)APRIL-2016	58.82
2011 BATCH(4-2) APRIL-2015	69.36

SONTYAM, ANANDAPURAM, VISAKHAPATNAM-531173
IV B.TECH II SEMESTER BRANCH WISE TOPPERS
(2013-2017 BATCH)

BRANCH	REGD.NO	NAME OF THE STUDENT	%
EEE	14NU5A0241	VADAVALLI CHANDRA SEKHAR	85.17
	13NU1A0203	DODDI VASANTHA	84.83
	14NU5A0202	ADARI VENKATA APPARAO	83.00
	14NU5A0214	GOWRIPATTAPU GANESH	82.00
	13NU1A0204	PRADEEP DEEPAK NAIR	81.50
MECH-A	13NU1A0301	ABDUL SHARIF	85.33
	14NU5A0312	CHEKKA SAMBHU PRASAD	84.33
	13NU1A0341	MADISA SAPTHA GIRISH YADAV	83.50
	13NU5A0306	BURLU PUSHPA	82.17
	13NU1A0316	CHITTAVARJULA SATYA GANESH	81.33
	14NU5A0309	BOBBILI SAI KIRAN	81.33
MECH-B	13NU1A0359	SIDAGAM ESWARRAO	85.67
	14NU5A0326	KARRI DHARAPRASAD	84.83
	14NU5A0330	LALAM DORA BABU	82.50
	14NU5A0334	MASABATTULA SAI MURALI	81.67
	14NU5A0321	GORLE SESHU	81.50
	14NU5A0324	KALIPILLI SIVA KUMAR	81.50
ECE	13NU1A0410	POTNURU REVATI	78.50
	13NU1A0411	SINAGAM KAVYA	76.50
	14NU5A0411	SHAIK SHARMILA	76.50
	14NU5A0401	ALLA SATEESH	76.00
	14NU5A0407	MALLA PUJITH	76.00
	14NU5A0416	YADUVAKA VENKATESWARAMMA	75.67
CSE	13NU1A0508	MAJJI CHAITANYA	75.50
	13NU1A0503	DHARAPU RAMBABU	72.33
	13NU1A0510	MULAKALAPALLI URMILA	72.17
	13NU1A0506	KOTUPALLI DHANALAKSHMI	72.00
	14NU5A0501	CHELLARPU KIRAN KUMAR	71.83